

Compact design for flexibility

Hygienic and ergonomic, B4 flourishes in all environments – from boardroom to sports hall. Its compact size, large dispense area for bottles, multiple water options and flexible configuration make it Borg & Overström's most popular model.

Reasons to choose

- Ultra-hygienic touch-sensitive control panel
- High capacity dispense area for bottles and jugs
- Sealed, hygienic, direct-chill cooling system
- Floorstanding option comes complete with an internal alarmed waste kit
- Unique countertop sparkling model



Distinctive by design.

 $\bigcirc 4$

Water system



Direct Chill

Configurations



Countertop



Floorstanding

Water options



Chilled



Hot



Sparkling

Available colours



borgandoverstrom.com









Borg & Overström Totality®



Driven by a relentless pursuit of excellence, Borg & Overström Totality® is a research and development methodology for the advancement of hygiene, innovation and technology in refreshment systems.



impact resistant epoxy
resin panel finish
Providing an increased level
of hygiene and longevity,
Fynil® is a scratch and impact
resistant epoxy-resin surface
finish - effectively resisting
biofilm development and
limescale cohesion.

Biofilm, limescale and



World-class filtration
For the ultimate drinking
experience, Borg & Overström
appliances can be pre-fitted
with a 3M filter to reduce
sediment, chlorine, odours
and scale.





Laboratory certified 99.99% bacteria-reduced Every Borg & Overström appliance undergoes an anti-microbial, antipathogen, sanitising procedure. The reassurance of hygienically safe appliances is provided by the unique bacteria-reducing process, Sterizen®.



Ultra-violet sterilising system
For added hygiene confidence,
appliances can be fitted with
Viovandt™ – an ultra-violet
sterilisation process that
reduces water-born bacteria.

b4

borgandoverstrom.com


Power requirements Hertz 50/Volts 220-240
Chilled temperature Min 2°C/Max 11°C
Hot temperature Max 92°C
Throughput litres per hour Chilled & Sparkling 35/Hot 6

B4 models

Countertop W320xD470xH415mm	Water system	Dispense height	Max power consumption	Silver	Black
Chilled & Ambient	Direct Chill	270mm	100W	103510	103512
Chilled, Hot & Ambient	Direct Chill	270mm	600W	103520	103522
Chilled, Ambient & Sparkling	Direct Chill	270mm	150W	103530	103532
Chilled, Hot & Sparkling	Direct Chill	270mm	650W	103540	103542
Floorstanding W320xD470xH1325mm				Silver	Black
Internal dimension - W280xD330xH830mm			Base cabinet	103910	103592







Additions for B4



Biodegradable paper cups Environmentally-friendly disposable cups designed to fit Borg & Overström cup dispensers perfectly.



Leak detection kit
Featuring a moisture sensor
that shuts the water supply in
the unlikely event of a leak.
Included as standard.



Personal drinking bottles 500ml capacity in black or grey frosted soft-touch finish. Comes with quick-release leakproof cap and carry strap.



Deep Sparkle® CO² refils
Can be disposed via standard steel recycling or general waste. Requires CO² regulator with gauge.

Install kit with 3M filter
Install appliances simply and effectively in a wide range of applications. Complete with a 3M filter.



500ml Swing-top bottles Suitable for dishwashers and bottlewashers. Perfect fit for the B4. Stylish swing-top lid.



Waste kit overflow sensor
Featuring an audible high-water
level alarm to prevent the
base cabinet waste tank from
overflowing. Included as standard
on floorstanding models.



Ultra-violet filter kit
Complete Viovandt™ filter kit
to assist in water purification
and removal of unwanted
micro-organisms.



Sanitisation kit
Six monthly sanitising cycles ensure appliances function at the optimum hygiene levels.



Rear cover
Tamper-proof rear cover
anchors the appliance to the
wall and protects plumbing
and electrical connections.
Ideal for public areas.

Book a visit to the Borg & Overström Academy for a personal demonstration of the B4

Talk to an adviser +44 (0) 1362 695 006 sales@borgandoverstrom.com

borgandoverstrom.com